

Safety Data Sheet

Chemsafe Solvex 500 White High Viscosity Lockdown Encapsulant

SECTION 1: Identification

1.1 Product identifier

Product name Chemsafe Solvex 500 White High Viscosity Lockdown Encapsulant

1.3 Recommended use of the chemical and restrictions on use

Encapsulation of asbestos fibers

1.4 Supplier's details

Name Aramsco
Address 1480 Grandview Avenue
Paulsboro, NJ 08066
United States of America

Telephone 800-767-6933
email customer.service@aramsco.com

1.5 Emergency phone number(s)

866-359-5661

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Carcinogenicity, Cat. 1A

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H350

May cause cancer via inhalation

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been read and understood.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313

IF exposed or concerned: Get medical advice/attention.

P405

Store locked up.

P501

Dispose of contents/container to licensed waste handling facility.

SECTION 3: Composition/information on ingredients

Safety Data Sheet

Chemsafe Solvex 500 White High Viscosity Lockdown Encapsulant

3.2 Mixtures

Hazardous components

1. Silica, crystalline* (as a contaminant)

Concentration 0.046 - 0.136 % (weight)
CAS no. 14808-60-7

*This material is considered hazardous as an airborne dust. During the use of this product this material is bound within the product and does not present a significant risk of exposure. When this product has dried and cured, sanding or similar actions could create dust and subsequent exposure is possible.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible). Wash contaminated clothing before reuse.
If inhaled	Remove to fresh air. Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: No additional information available.
In case of skin contact	Wash with plenty of soap and water. Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: May cause skin irritation.
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Acute and delayed symptoms and effects: May cause eye irritation.
If swallowed	Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No additional information available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Safety Data Sheet

Chemsafe Solvex 500 White High Viscosity Lockdown Encapsulant

5.2 Specific hazards arising from the chemical

Hazardous Combustion Products: carbon dioxide, carbon monoxide, hydrogen sulfide, nitrogen oxides

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection recommended in Section 8.

As an immediate precautionary measure, isolate spill or leak area in all directions. Keep unauthorized personnel away.

6.2 Environmental precautions

Keep out of drains, sewers, ditches, and waterways.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of in accordance with waste regulations. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep out of the reach of children. Keep from freezing. Store upright in original container.

Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 14808-60-7

Silica, crystalline

ACGIH: 0.025 mg/m³ (resp.) for α-quartz and cristobalite TLV®; Cal/OSHA: 0.05 mg/m³ PEL; NIOSH: Ca 0.05 mg/m³ REL; OSHA: 10 mg/m³ / (% Silica + 2) respirable 30 mg/m³ / (% Silica + 2) total PEL-TWA

8.2 Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Safety Data Sheet

Chemsafe Solvex 500 White High Viscosity Lockdown Encapsulant

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms



Eye/face protection

Safety glasses with side-shields.

Skin protection

Protective gloves, such as nitrile gloves.

Body protection

Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Thermal hazards

No data available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Liquid. White, dries white.
Odor	Negligible
Odor threshold	No data available.
pH	9.7
Melting point/freezing point	No data available.
Initial boiling point and boiling range	212°F
Flash point	Not applicable
Evaporation rate	< 1.0
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	No data available.
Vapor density	1.0
Relative density	No data available.
Solubility(ies)	Soluble in water
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	75-90 KU
Explosive properties	No data available.
Oxidizing properties	No data available.

Other safety information

Other information

VOC Content (%): <25 g/L

Safety Data Sheet

Chemsafe Solvex 500 White High Viscosity Lockdown Encapsulant

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Contact with incompatible materials. Sources of ignition. Exposure to heat.

10.5 Incompatible materials

There are no known materials that are incompatible with this product.

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Symptoms (including delayed and immediate effects):

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin corrosion/irritation

May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

Silica, crystalline

Result: IARC: 1 - Group 1: Carcinogenic to humans (Quartz)

Titanium Dioxide

IARC carcinogen Inhalation

Result: Group 2B

Remarks: Titanium dioxide is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence of carcinogenicity in humans and sufficient evidence in experimental animals. In lifetime

Safety Data Sheet

Chemsafe Solvex 500 White High Viscosity Lockdown Encapsulant

Inhalation studies of rats, airborne respirable-size titanium dioxide particles have been shown to cause lung tumors at concentrations associated with substantial particle lung burdens and consequential pulmonary overload and inflammation. However, other laboratory animals such as mice and hamsters did not develop lung tumors under similar testing with titanium dioxide. Furthermore, human epidemiology studies do not suggest an association between occupational exposure to titanium dioxide and risk for cancer.

Silica, crystalline and Titanium Dioxide are considered hazardous as an airborne dust. During the use of this product these materials are bound with in the product and do not present a significant risk of exposure. When this product has dried and cured, sanding or similar actions could create dust and subsequent exposure is possible.

Reproductive toxicity

No data available.

Summary of evaluation of the CMR properties

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

SECTION 12: Ecological information

Toxicity

No data available on product

Persistence and degradability

No data available on product

Bioaccumulative potential

No data available on product

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal of the product

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Disposal of contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Safety Data Sheet

Chemsafe Solvex 500 White High Viscosity Lockdown Encapsulant

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

Chemical name: Silica, crystalline

CAS number: 14808-60-7

Chemical name: Titanium Dioxide

CAS number: 13463-67-7

Silica, crystalline and Titanium Dioxide are considered hazardous as an airborne dust. During the use of this product these materials are bound with in the product and do not present a significant risk of exposure. When this product has dried and cured, sanding or similar actions could create dust and subsequent exposure is possible.

Canadian Domestic Substances List (DSL)

This product contains one or several components that are not on the Canadian DSL nor NDSL.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP) as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Toxic Substances Control Act (TSCA) Inventory

All components are either listed or otherwise comply with requirements.

HMIS Rating

Chemsafe Solvex 500 White High Viscosity Lockdown Encapsulant	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0


Safety Data Sheet

Chemsafe Solvex 500 White High Viscosity Lockdown Encapsulant

PERSONAL PROTECTION

B

NFPA Rating



SECTION 16: Other information

Revision 1.0

16.1 Further information/disclaimer

The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this product or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use thereof.